

# **ALTEA WHITE 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm)

**A031472** 7,5X30 7,60 REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

GROUP

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	>10%
Flexion resistance	EN ISO 10545-04	$=> 20 \text{N/mm}^2$
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









# **CALPE WHITE 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A031477** 7,5X30 8,00 REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	>10%
Flexion resistance	EN ISO 10545-04	$=> 20 \text{N/mm}^2$
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









## **TORELLO ALTEA WHITE 2X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032179** 2x30 0,00 REVESTI

### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test







## **TORELLO CALPE WHITE 2X30**

GROUP REFERENCE SIZE (cm) THICKNESS (mm)

REVESTI A032184 2x30 0,00

#### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

EN ISO 10545-12 Not pass the test Frost resistance









# **EDGE STICK ALTEA WHITE 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032169** 1,5X30 7,90 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test









# **EDGE STICK CALPE WHITE 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032174** 1,5X30 7,90 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 Not pass the test









# **ALTEA GREY 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A031475** 7,5X30 8,30 REVESTI



### **DIMENSIONS AND SURFACE PROPERTIES**

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	>10%
Flexion resistance	EN ISO 10545-04	$=> 20 \text{N/mm}^2$
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









# **CALPE GREY 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A031480** 7,5X30 7,60 REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	>10%
Flexion resistance	EN ISO 10545-04	$=> 20 \text{N/mm}^2$
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









## **TORELLO ALTEA GREY 2X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032182** 2x30 0,00 REVESTI

### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test









## **TORELLO CALPE GREY 2X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032187** 2x30 0,00 REVESTI

### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test









# **EDGE STICK ALTEA GREY 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032172** 1,5X30 7,90 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 Not pass the test









# **EDGE STICK CALPE GREY 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) **GROUP** 

REVESTI A032177 1,5X30 0,00

#### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

EN ISO 10545-12 Frost resistance Not pass the test









# **ALTEA SKY 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A031474** 7,5X30 8,10 REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

PHYSICAL PROPERTIES			
Water absorption capacity	EN ISO 10545-03	>10%	
Flexion resistance	EN ISO 10545-04	$=> 20 \text{N/mm}^2$	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	Not pass the test	

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









# **CALPE SKY 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A031479** 7,5X30 7,70 REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	>10%
Flexion resistance	EN ISO 10545-04	$=> 20 \text{N/mm}^2$
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









## **TORELLO ALTEA SKY 2X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032181** 2x30 13,40 REVESTI

### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test









## **TORELLO CALPE SKY 2X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032186** 2x30 0,00 REVESTI

### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test









# **EDGE STICK ALTEA SKY 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032171** 1,5X30 7,50 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 Not pass the test









# **EDGE STICK CALPE SKY 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032176** 1,5X30 0,00 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test









# **ALTEA IVORY 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A031473** 7,5X30 7,10 REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	>10%
Flexion resistance	EN ISO 10545-04	$=> 20 \text{N/mm}^2$
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









# **CALPE IVORY 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A031478** 7,5X30 7,90 REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	>10%
Flexion resistance	EN ISO 10545-04	=> 20N/mm <sup>2</sup>
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









## **TORELLO ALTEA IVORY 2X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032180** 2x30 0,00 REVESTI

### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test









## **TORELLO CALPE IVORY 2X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032185** 2x30 0,00 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test









# **EDGE STICK ALTEA IVORY 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032170** 1,5X30 8,00 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 Not pass the test









# **EDGE STICK CALPE IVORY 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032175** 1,5X30 0,00 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 Not pass the test









# **ALTEA TAUPE 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A031476** 7,5X30 7,50 REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

PHYSICAL PROPERTIES			
Water absorption capacity	EN ISO 10545-03	>10%	
Flexion resistance	EN ISO 10545-04	$=> 20 \text{N/mm}^2$	
Thermal shock resistance	EN ISO 10545-09	It stands the test	
Cracking resistance	EN ISO 10545-11	It stands the test	
Frost resistance	EN ISO 10545-12	Not pass the test	

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









# **CALPE TAUPE 7,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A031481** 7,5X30 8,70 REVESTI



#### **DIMENSIONS AND SURFACE PROPERTIES**

PHYSICAL PROPERTIES		
Water absorption capacity	EN ISO 10545-03	>10%
Flexion resistance	EN ISO 10545-04	$=> 20 \text{N/mm}^2$
Thermal shock resistance	EN ISO 10545-09	It stands the test
Cracking resistance	EN ISO 10545-11	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

CHEMICAL PROPERTIES			
Resistance to acids	EN ISO 10545-13	GLA	
Resistance to alcalis	EN ISO 10545-13	GLA	
Resistance to cleaning products	EN ISO 10545-13	GA	
Resistance to chemical products in swimming pool water	EN ISO 10545-13	GA	
Stains resistance	EN ISO 10545-14	5	









## **TORELLO ALTEA TAUPE 2X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032183** 2x30 15,00 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 Not pass the test









REFERENCE SIZE (cm) THICKNESS (mm) **GROUP** 

**TORELLO CALPE TAUPE 2X30** 

REVESTI A032188 2x30 0,00

#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

EN ISO 10545-12 Not pass the test Frost resistance









# **EDGE STICK ALTEA TAUPE 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032173** 1,5X30 7,90 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test









# **EDGE STICK CALPE TAUPE 1,5X30**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A032178** 1,5X30 0,00 REVESTI

#### **DIMENSIONS AND SURFACE PROPERTIES**

**PHYSICAL PROPERTIES** 

Frost resistance EN ISO 10545-12 Not pass the test





