

# **LOTUS COAL NAT RECT 120X120**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A042015** 120X120 8,80 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test









# **LOTUS COAL NAT RECT 60X120**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A042011** 60x120 8,60 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test









# **LOTUS GREY NAT RECT 120X120**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A042016** 120X120 8,90 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test









# **LOTUS GREY NAT RECT 60X120**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A042012** 60x120 8,80 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test









# **LOTUS SAND NAT RECT 120X120**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A042017** 120X120 8,90 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test









# **LOTUS SAND NAT RECT 60X120**

REFERENCE SIZE (cm) THICKNESS (mm) GROUP

**A042013** 60x120 8,80 PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test









# **EUPHORIA CREAM NAT RECT** 120X120

REFERENCE SIZE (cm)

THICKNESS (mm)

8,90

GROUP

**A042018** 120X120

PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test









# **EUPHORIA CREAM NAT RECT**

# 60X120

REFERENCE SIZE (cm)

THICKNESS (mm)

8,80

GROUP

**A042014** 60x120

PC BIA GL



#### **DIMENSIONS AND SURFACE PROPERTIES**

#### **PHYSICAL PROPERTIES**

Frost resistance EN ISO 10545-12 It stands the test





